

Unfabricate: Designing Smart Textiles for Disassembly

Shanel Wu

ATLAS Institute

University of Colorado, Boulder

shanel.wu@colorado.edu

Laura Devendorf

ATLAS Institute &

Dept. of Information Science

University of Colorado, Boulder

laura.devendorf@colorado.edu



Figure 1. The lifecycle of a designed-for-disassembly smart textile component (left to right): 1) Raw materials of conductive and non-conductive yarn. 2) Software for designing the layout and shape of components 3) Weaving/fabrication using an easy-to-disassemble technique developed in this work. 4) Testing the smart component. 5) Unravelling component to reclaim yarn. 6) Re-harvested yarn, ready to reuse.

ABSTRACT

Smart textiles development is combining computing and textile technologies to create tactile, functional objects such as smart garments, soft medical devices, and space suits. However, the field also combines the massive waste streams of both the digital electronics and textiles industries. The following work explores how HCI researchers might be poised to address sustainability and waste in future smart textiles development through interventions at design time. Specifically, we perform a design inquiry into techniques and practices for reclaiming and reusing smart textiles materials and explore how such techniques can be integrated into smart textiles design tools. Beginning with a practice in sustainable or "slow" fashion, unravelling a garment into yarn, the suite of explorations titled "Unfabricate" probes values of time and labor in crafting a garment; speculates how a smart textile garment may be designed with reuse in mind; and imagines how electronic and textile components may be given new life in novel uses.

Author Keywords

Smart Textiles; Sustainability; Unraveling; Disassembly; Weaving; Knitting; Computer-Aided Design.

CCS Concepts

•Human-centered computing → Human computer interaction (HCI);

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

CHI '20, April 25–30, 2020, Honolulu, HI, USA

© 2020 Copyright held by the owner/author(s). Publication rights licensed to ACM. ISBN 978-1-4503-6708-0/20/04...\$15.00

DOI: <https://doi.org/10.1145/3313831.3376227>

Introduction

The emergent field of smart textiles is predicted to be a \$5.5bn global industry by 2025 [64]. This field describes research embedding fabrics with circuitry or otherwise "smart" materials at the yarn level. As the synthesis of both textiles and electronics, such an industry could compound the two's already-massive waste streams [8, 28, 70]. Firstly, textile production continues to be one of the most wasteful and polluting industries in the world. The National Resources Defense Council describes textile mills as producing 20% of the world's industrial water pollution (through processes of dyeing, washing, etc.) [10] and the Ellen MacArthur Foundation reports that \$500bn is lost each year on "underused clothes and the lack of recycling" [28]. Secondly, the global electronics industry generates nearly 50 million metric tons of electronics waste or "e-waste" annually [65]. As another major waste stream, the problem of e-waste has created secondary problems of regulating, transporting, and properly disposing of it, exacerbating inequities between developed and developing countries as the latter disproportionately receives e-waste to process [81, 63]. We expect these problems to compound with the introduction of custom electronics embedded into textile structures.

While concerning, smart textiles also present some interesting properties to support disassembly and recycling that are different from traditional electronics manufacturing. In smart textiles, circuitry is largely woven or knitted into a fabric structure, allowing us to envision ecosystems of adhesive-less circuitry, where prototypes or post-use objects can be unraveled and separated to re-harvest constituent materials [83]. **From these structures, we can envision modes of disassembling or mending smart textiles, just as people can (and do) disassemble some garments that have been worn out or outgrown.** Unfabricate considers not only how these processes might take place, but if there are optimizations that HCI de-

signers and developers could make at the time of design and fabrication to integrate disassembly and reuse into the smart textiles lifecycle. As such, we aim to connect communities discussing computational design and fabrication with those addressing sustainability through disassembly and reuse.

Drawing from sustainability tactics in fashion and handcraft, as well as design-for-disassembly practices [76, 27], this project investigates problems of sustainability and scalability in smart textiles by probing the variety of design possibilities for disassemble-able smart textiles. Our project begins with an inquiry into locating and unraveling existing garments, focusing on identifying techniques that assist in this process. We took our findings from unraveling knitwear to re-envision smart weaving techniques that might offer similar ease of unraveling, developing a technique of "warp overlaying" that increases the yield of usable yarn harvested from woven prototypes. We then concertized our approach in the form of an extension to AdaCAD, a smart textiles design tool, and tested it by creating (and unraveling) a woven potentiometer (Fig. 1). Throughout this process, we saw a suite of possible interventions throughout the weaving cycle to support disassembly, including hardware modifications on the loom machinery and software modifications in CAD. Specifically, we discovered how software could be aware of material constraints while working within current representational formats. As such, the practice of tool-building led us to broader speculation on what tools and systems could both support and incentivize investment in recyclable smart textiles. We share descriptions of our process and the techniques we developed to inspire future directions for HCI design research into smart textiles sustainability.

Our primary contribution is demonstrating how computational design can bridge developments across disciplines such as craft, textiles engineering, and materials science to advance sustainability. Specifically, we want to bring researchers designing computational design tools into the existing conversations of design for disassembly and sustainable textiles. While our process yields insights through tool building, we acknowledge that capitalism, politics, and other sociological factors also make textiles unsustainable (e.g. we do not have sustainability problems *because* of our tools and machines alone). Yet, we see tools as a site for making unraveling and reuse processes more available to users, enabling their own inquiry, exploration, and innovations. More interestingly, we see this as a place where HCI practitioners can make a meaningful difference within broader economic and social flows.

BACKGROUND

Our research addresses ongoing conversations in HCI about smart textiles development, sustainable design, and computer-aided design and manufacturing tools. Furthermore, our work connects related design work in other disciplines, such as fashion and industrial textiles. We look to specific terminology, practices, and programs within fashion and textiles (from both craft and industry perspectives) to inspire our approach. While some argue that the integration of circuitry and computational abilities into garments can extend their lifespan by

dynamically "updating" to meet current trends [60] or perhaps becoming reflective artifacts containing aspects of our histories (through techniques such as [66]), we look to offer another perspective that focuses, and perhaps extends, the lifespan of the *materials* as opposed to the artifacts—thus allowing artifacts to be shaped, unshaped, and reshaped into novel forms. In this sense, we draw inspiration from a growing "design-for-disassembly" movement that considers how designers can shape how their artifacts are used (and reused) [76, 27].

Fabricating Sustainable Textiles

Within the domains of fashion and textile design, concerns for sustainability have become manifest in programs such as "slow fashion" [58] and "circular fashion" [28]. Practitioners approach sustainability and slowness from multiple backgrounds, ranging from couture designers [59] and fashion scholars [26, 25], to professional craftspeople [24, 80] and self-taught makers [3]. In a handbook on sustainability and fashion, contributors call for research agendas that consider the systemic unsustainability of the modern textile industry and reframe the identities of consumer, production worker, and other stakeholders [26].

Some work in this domain envisions new manufacturing infrastructures for textiles that mimic the visions offered of additive manufacturing but focusing on soft goods. Specifically, Pamela Liou, a designer and technologist, envisioned a new form of cottage industry supported through an open-source tabletop Jacquard loom called Doti [43]. This is mirrored in companies like WOVNS that focus on fabricating small runs of user designed products [78]. Along with other technologies like the Kniterate, we are beginning to see workflows where users can print textile products on demand [38].

In parallel to the growth of "grass-roots" textile manufacturing equipment, new software protocols are being developed to develop fully shaped artifacts based on digital inputs [46, 1]. Such work contributes to our agenda by ensuring shapes are made from long continuous lengths of yarn, as opposed to separate panels that are cut to shape and bound with sewing machines. Our work contributes a perspective that specifically focuses on weaving, a process that does not yet lend itself to easy unravel-ability in the same way as knitted objects.

Weaving is one of the most common textile production methods (for denim, upholstery, etc) whose structures offer specific supports for smart textiles development [15, 61, 77, 56, 48]. The exploration of woven smart textiles is further supported by the availability of hardware such as the TC2 digital jacquard loom [54], which specifically offers industrial style weaving supports to prototype and small-run makers. In previous work, we have explored custom software for smart textiles design by creating AdaCAD, a program that builds upon weaving's available notations and techniques [29] (a full summary of such notation can be found there).

Approaches to Sustainability and Reuse in HCI

For the past two decades, HCI's interest in supporting sustainable innovation has grown dramatically. This includes projects that target behavior change on an individual level [21, 22],



Figure 2. The process of unravelling a knit garment and reclaiming its yarn. a) The initial garment. b) Separating the first set of seams. c) The garment pieces fully separated. d) Unravelling each piece with the help of a yarn winder. e) Winding the unravelled yarn into loops to prevent tangles. f) The reclaimed yarn shown, after washing, with the original garment label.

bring greater awareness to ones environment in terms of pollutants [36, 11, 2], critical reflection on how HCI plays into existing consumerist processes [5, 57, 63], or support social practices of sustainability such as urban foraging [20]. More recently, and joined under a broader theoretical framework of the Anthropocene, researchers have looked to broader methods as platforms for sustainable behavior. These include approaches that bring users in greater physical contact with the environment [44, 40, 42] or approaches that question the fundamental orientation of HCI as on that is focused on "ease of use" [42] to make space for new forms of perhaps challenging but otherwise meaningful and necessary action [14, 19, 18].

Research specifically focusing on practices of repair and reuse [35, 18, 17, 79, 73, 72] offer a productive intersection of sustainable-thinking and noticing through hands-on practices with broken or otherwise outmoded materials. This has taken the form of studies of "everyday design" [74, 45], through critical "deconstruction" activities [49, 50, 51], and by approaching artistic practices of reuse through attending to the "life" of that which is being reused [34]. We draw from these projects to both become sensitive to what the practice of reuse entails while also exploring how one might "optimize" a design to make such practices more accessible and available to broad audience. In this way, we shift our focus from repairing artifacts whose forms are already set and made, to focusing on how we might make those forms to suggest repair from the beginning of their design. In this sense, we draw out work in line that explores fabrication with "salvage" [18] or otherwise spare materials [16, 39].

Unravel-ability of Knitted and Woven Garments

Knitting and weaving are two distinct and common methods of industrial textile production that both form fabric by manipulating yarn. In knitting, a single yarn forms interlocked loops which comprise the fabric, essentially creating a complex slip-knot (Figure 3). A knit garment could be made using just one continuous length of yarn, which is why knit garments lend themselves more readily to unraveling. In weaving, two yarn systems are required: *warp* yarns along one axis, and *weft* yarns on the perpendicular axis. The warp is set up on the machine (*warping* the loom) prior to weaving, then the weft is inserted perpendicular to the warp, travelling over and under the warp to create fabric through these interlacements. This process is more difficult to unravel, because each warp is a

discrete, rather than continuous piece of yarn. Additionally, several practices of assembling woven fabrics into garments and products make additional cuts, and thus, reduce the number of usable lengths of yarn that can be extracted.

Industrialized weaving further cuts the yarn. Many automated factory looms use a "rapier" mechanism that cuts the yarn after every row in order to speed up weaving [55]. This mechanism represents how weaving manufacturing infrastructure is optimized for throughput, to produce as much fabric as quickly as possible, which trades off disassembly as a consequence.

METHODS AND APPROACH

This inquiry takes place in phases: 1) a "sensitization activity" focused in disassembling existing knit textiles; 2) applying our learnings from disassembly to inspire new structures and hardware modifications to produce disassemble-able *woven* structures; 3) and encoding these practices into a design tool to both demonstrate the feasibility of this feature as a design default while also inspiring future visions of technical intervention to promote and support reharvesting materials. These strategies represent a combination of several research through design methods in HCI. The idea of sensitizing oneself to a design space combines ideas from design anthropology [69] and reflective design [67], immersing oneself as a designer and observer into an environment to understand how it took on a particular form.

In our case, the environment of interest was the ecology (or lack thereof) that had been built around disassembling and reusing textiles. Targeting these values with probes in the form of technical experiments, we situated our role in the ecosystem as consumers and makers of textile goods, but not manufacturers [30, 32].

As an experienced knitter and weaver who learned these fiber crafts alongside traditional engineering and science subjects, Wu was uniquely positioned for this exploration. Leveraging their expertise in handcraft, our work seeks to emphasize embodied making processes and exploring through craft [33]. Our sensitization to values in disassembly and in the *hand* as a metaphor for the unseen, unrecognized labor in dealing with waste [65] led us to use the created tools ourselves in the vein of autobiographical design [52, 13, 12]. Taking a page from practices of design fiction [37, 6], workbooks [31], and HCI amusements [14], we offer three concepts or design sketches

for future systems intended to spark the imagination of others working HCI to consider default settings for sustainable manufacturing in textiles and beyond.

Our later phases of work in producing a design artifact and describing the creative possibilities it inspired are speculative in nature. We acknowledge the limitations of our built prototypes as a single research group, yet the narrative power of design fiction from a small cohort of authors can compel larger groups to envision new futures [23]. In future work, We hope to continue this model of experimental units and creative exercises in order draw more connections between different technical and creative practices.

PROCESS

Sensitization: Unravelling Procedures

A tactic found in slow fashion, as well as throughout craft history when necessitated by economics, is to reclaim yarn from existing garments, such as knitted sweaters from a thrift store. For instance, knitters in the Great Depression would unravel handknits that were less used to avoid buying new yarn [4]. We turn to these practices to investigate an existing site of disassembly and reuse in textiles, which tie into a larger ecosystem of waste management and recycling around the globe.

As a first step towards our study of unraveling, we sought to understand, from an embodied perspective, the process of both selecting and unraveling a pre-made garment. As such we took a trip to a thrift store to assess the availability of garments to unravel. At the thrift store, we could see that many knitted garments would be unsuitable for unravelling. While the aforementioned properties of knit fabric (e.g. long continuous yarn in a slipknot) should generally result in more efficient unravelling than woven, the rest of the garment fabrication process can affect the yield of usable yarn. This is because knitwear manufacturing is divided into two main categories. 1) *cut and sew*, where a large rectangular swath of fabric is machine-knitted, then cut into pattern pieces and sewn together; and 2) *fully fashioned*, where pieces are knitted with shaping and seamed without cutting. A third emergent category is *whole garment knitting*, a newer method where the garment is knitted in one piece. Most of the garments in the thrift store (and produced internationally) are cut and sew and, as thus, our first challenge was spotting fully fashioned knitwear, as these garments would produce the most long, usable lengths of yarn.

Once we chose a garment to unravel, this element of reverse engineering and speculating on the garment's fabrication continued. For instance, the garment in Figure 2 was fully fashioned. To obtain the maximal amount of yarn from the knit, we needed to understand the order in which pieces were joined together and then, reverse when unraveling. This required analyzing the structure and "reading" its method of fabrication prior to unwinding. When cutting the seams to unpiece the knit, we found it easier to not only cut the seams in the reverse order of how they had been created, but also to reverse the direction of the seam and start cutting at its last stitch. Wu's extensive hand knitting experience helped them intuit these details of fabrication. After unraveling the garment, we washed

and wound the yarn into looped bundles to return the yarn to a ready-to-use condition.

We continued to unravel eight garments of various yarn weights and materials. Most appeared to be commercially knit, while two of these garments appeared to be handknit. Both kinds of garments tended to follow similar templates for their construction order but different methods for seaming. After unravelling multiple garments with different yarns and construction details, we found some key principles for minimizing time and maximizing reclaimed material which would inform our design tool:

- One needs to understand the order of the fabrication steps that created the knit. Like cutting along the grain of wood, rather than against, unravelling a knit is easier when the the order of fabrication steps are reversed exactly. To support disassembly, designers should make the disassembly instructions clearly "readable" in their structure.
- At fabrication time, designers should cut the material as few times as possible to maximize the total amount of yarn that can be harvested from deconstruction.

We also speculated that certain design tactics within knitting systems could aid unravelling and reclamation.

- Shape the pieces as they are fabricated so they do not have to be cut for sewing.
- Design the garment to use fewer but larger pieces to minimize the number of cuts in the yarn.
- If using multiple yarns, keep the contrasting yarns in contiguous areas to also minimize the number of cuts in each yarn.

Our experience in unravelling these knitted objects created a heightened awareness of the time and labor invested in their fabrication, as we put in additional time and labor to undo the fabrication. Before this work, we had the misconception that commercial knits were nearly fully automated. However, in attending to the details and variations in manufacturing in each garment, we clearly recognized the touch of many hands throughout the process. Knitting machines, even when computer-controlled, require extensive manual configuration to place each stitch in the machine, and may even require hand manipulation for certain shaping methods and seaming methods [68].

Discovering the techniques and hands of other makers gave us a poetic sense of satisfaction in returning the yarn to an "original" or blank state. As one takes apart the garment, its creation story is replayed rather than erased. While we understood the affordances of textiles to unravel, our sensitization process made us appreciate more of the reflective value of unraveling and the unique capability of yarn to store its own history.

While not central to our research focus, we wanted to contribute our knowledge of useful unravelling to the community in the form of a zine and research video¹. By choosing these formats rather than an online tutorial, we hope to foreground

¹<http://sminliwu.github.io/projects/Unfabricate>




Figure 3. Summary of structural differences between knitting and weaving. Cut and sew versus fully fashioned manufacturing treats the edges of pieces differently. The yarns remain continuous in fully-fashioned knitwear. No such equivalent exists in industrialized wovens.

the non-procedural elements of unravelling and encourage reflection during this practice. Figure 2 shows key frames from the research video, documenting the process from the initial garment to usable yarn.

Designing for Unravelling

From Knitting to Weaving

From our sensitization exercise, we saw knitting as a design space that seems well suited to designed-for-disassembly smart textiles. However, the smart textiles field includes both knits and wovens, among other fabrication methods, which may each pose their own challenges to designing for disassembly. Unlike knits, wovens are nearly always manufactured via cut and sew. Furthermore, many industrial looms incorporate mechanisms (e.g. rapier, projectile) which cut the weft after every row. As a result, many wovens available to consumers are almost exclusively composed of short pieces of yarn that would be difficult to reuse. For a summary of cut-and-sew and fully fashioned in both knitting and weaving, see Figure 3.

Shape Weaving

In unravelling knits, we noticed some key features—continuous yarns and shaping—that enabled reclaiming usable materials from the finished object. What if wovens were designed with these features in mind to reduce waste not only during fabrication but in post-consumer stages? We began with looking to existing work in loom-shaped and fully fashioned woven garments to create shapes from continuous lengths of yarn. Shape weaving describes a process where weft yarn is restricted to portions of the warp, rather than span the entire width of the loom. These pieces could then be cut off the loom and separated. However, this leaves loose ends in the warp which would then have to be secured to prevent fraying. Thus, we looked for methods and adaptations we could develop that would create continuous threads along the warp and the weft. In a series of technical experiments, we wove non-rectangular pieces while iterating on methods for securing the warp to preserve the shapes' edges, evaluating them on set-up/finishing times, potential wastage, and scalability.

Industrial settings are indirectly designed against shape weaving, since all wefts including inlay and supplementary yarns travel from edge to edge. This is likely to also be a manufacturing challenge for future woven smart textiles at scale, because circuitry favors continuous lengths of conductive yarn in narrow regions which may not span the width of the loom. With the advent of Jacquard looms for non-industrial settings, preparing a CAD file for weaving is becoming accessible to more single users, leading us to believe that there could be a broader space for experimentation in shape woven structures outside of formal production settings.




Figure 4. Diagrams of the three warp securement experiments. (left) experiment 1's method of continuous weft and tying the cut warps, (middle) experiment 2's method of adding one long continuous warp, (right) experiment 3's more successful method of "pairing" each warp to support quick disassembly

The following sections describe three experiments we conducted to maximize harvestable yarn while supporting shape weaving.

Experiment 1: Continuous Weft + Bound Warp: In the first experiment, we kept the weft yarn continuous, cutting the warp and knotting the ends of the warps in small bundles to secure the shape. While this would be fairly easy to implement on a larger loom without any modifications, this knotted warp method did not address warp yarn wastage as the warp would still be cut during finishing. Furthermore, it would be extremely time-consuming to tie hundreds or thousands of knots in a larger piece (Figure 4, left).

Experiment 2: Continuous Weft + Supplemental Continuous Warp: In the second experiment, we explored using a continuous warp as well as a continuous weft to further reduce wastage. This sample was woven on a small sampler loom, where simple pins supported each bend in the warp yarn. As seen in Figure 5, this modification allowed the excess warp to be tightened against the shape's edge. After weaving the shape, the weaver takes each loop of excess warp and tightens it against the edge of the piece, locking the weft yarn in place. This selvedge (self-edge) technique creates a finished, secure edge without any further cutting or sewing. However, this continuous warp method would be difficult to scale to more complex looms, as the continuous warp would have to be manually threaded through several components within the loom (Figure 4, middle).




Figure 5. Modifying the woven structure to facilitate future disassembly with a continuous warp. a) The warp is initially in a rectangular area, with the weft filling the desired shape. b) The weaver tightens the warp to lock in the edges of the shape, leaving long ends of warp at either end of the piece. While this represents some waste, it is much less waste than generated by cutting the wefts, and warp yarns are often a natural, abundant material such as cotton.

Experiment 3: Continuous Weft + Doubled Supplemental

Continuous Warp: Our third and final experiment continued with the idea of continuous warp, but with the warp yarn doubled on itself in a series of loops. Each looped pair of yarns was handled together in weaving (meaning that each paired warp would be lifted or lowered at the same time, just as though they were a single thread), and a final *catching row* was inserted through all of the loops. This essentially creates a rectangular shape with a long continuous warps bound at the top by a catching row. To adapt this structure to the variable shapes of weaves (which may not be rectangular), we developed a process to tighten the warp, a variation on the method from Experiment 2. This is accomplished by pulling the ends of the continuous warp until it the warps and catching row conform to the boundary of the woven shape. This method results in a woven fabric which can unravel quickly once the catching row is pulled out of the edge. Furthermore, while there still remain several barriers to scaling to industrial weaving, this last method seemed *possible* to scale to a larger piece on a more complex loom. For the remainder of our design inquiry, we used this doubled warp method for shape weaving in designing our smart textiles for disassembly (Figure 4, right).

Modifications to Physical Equipment

We recognized that to weave larger shapes, such as garment pieces, we would have to adapt the loom machinery to accommodate our modifications to the woven structure. In order to hold the looped warp yarn during weaving, we had to insert additional beams at the back and front of the loom to maintain tension on the warps. Figure 6 shows the process and result of this modification. Adding beams to a loom has some precedence in other loom systems, where additional beams might be added to handle different tensions for multiple sets of warp yarns [24].

Equipment and physical tools shape the final product, and if the desired final product is not possible or easy enough with the current tools, it can often motivate shaping the equipment in return. The history of weaving and evolution of looms provide many examples of this symbiotic relationship between physical tools and craft object. For instance, many different looms, even a simple tapestry loom, can be used to weave velvet and



Figure 6. (top) Developing new methods for maximizing the usable lengths that could be reharvested from woven fabrics required us to modify weaving equipment. These process pictures show how we inserted an extra beam into the loom to hold a modified warp (on top of the more traditional and existing loom warp). (bottom) The additional warp structure is created by adding additional beams secured in front and back for shape weaving with continuous warp.

other piled weaves [24]. During the Italian Renaissance, luxury demand for ornate, multi-colored velvet prompted weavers to develop specialized looms in which individual threads were weighted and dispensed separately [75]. Different types of looms encourage different weaving techniques and design challenges. In scaling a technique for higher-volume fabrication and disassembly, designing equipment includes trade-offs that can affect the values we want to express throughout the process and in the finished object. Industrial textile processes are *not* optimized for disassembly and reuse. In fact, their optimization for assembly speed actually makes them much worse for disassembly.

This stage of material exploration informed later design tools to support such structures. By sampling several techniques quickly, we were able to see certain patterns in these techniques, such as how to secure the first and last few threads of each row when weaving. These techniques would later be implemented in our software tool as adjustments to the user-inputted draft. These experiments also directly provided insight into why knitting is easier to unravel than weaving: the fundamental structures of the two crafts impact their unravelability.

In designing and weaving these woven shapes, we had to consider both the desired shape and the fabric structure simultaneously. This process was unlike creating a swath of fabric, then cutting out a shape. Yet it was equivalent to weaving a shaped piece of a garment. We realized that cut and sew




Figure 7. Example workflow of creating a shaped smart textile using the Shape interface. a) initial sketch of the piece's shape. b) editing the shape and refining its edges according to the yarn constraints. c) changes reflected in draft view. d) filling the shape with the desired woven structure. e) adding conductive yarn to the design.

garment-making lends itself to selecting the fabric apart from the garment's construction. In contrast, a fully fashioned approach is a more tightly integrated process where the maker must consider the fabric's and garment's properties simultaneously. Thus, the garment emerges earlier in the design process.

Encoding Practices in Computational Design Tools

The weaving draft has long been in use as a machine-compatible format to communicate woven designs. Our previous work in AdaCAD combines features of different CAD practices to support integrated woven textile and circuit design [29]. The program provides a basic toolkit for editing drafts on a canvas, making visual patterns, textured stitches, and rectangular structures easy to insert into the design. To better support shape weaving, we incorporated findings from our weaving experiments into an extension of the software. While we specifically made an extension in AdaCAD, the features could be integrated into any program that manipulates weaving drafts.

Shapes from a Draft

The key feature of this shape weaving extension is the addition of the Shape structure in the program's model of a woven design. AdaCAD models the draft as an array of booleans, and previously did not track any higher-level details about the draft outside of which yarns were in use. While a user could create a structure (e.g. a pocket) and visually see the area on screen, AdaCAD would not be aware of which patterns or structures were in the draft.

With the extension, the draft can have Shapes linked to it, storing information about where each Shape is located on the design. Each Shape is defined by the shuttles or yarns used to create it and stores the exact bounds of each row of yarn. Since the Shape tracks its exact placement in the draft, it can edit the draft appropriately to ensure the edges are secure. Furthermore, since the Shape tracks which yarns are used and the lengths of each row, we can now also calculate the amounts of yarn used in each design to support working with limited materials. By adding these data structures within the draft, we created a layer of abstraction between lower-level fabric details and higher-level shaping.

Figure 7 shows an example workflow through the software from a users perspective.

Design Artifact: Shape Woven Soft Potentiometer

To encapsulate the various techniques and tools developed in our method for unravellable smart textiles, we created a proof-of-concept woven electronic component designed with our software tool. We decided on a circle for its symmetry, as well as the technical challenge of creating a smooth curved edge in a low-resolution medium. This component uses the doubled warp technique described earlier (and depicted in figure 5) to create its circular shape. The weaving incorporates a resistive yarn in an half-ring region, which allows the component to be used as an analog input (e.g. a position sensor or soft haptic slider). This particular resistive yarn also served as an example of the precious nature of conductive yarns and other emergent materials. Our lab had obtained a single sample of the yarn from a now-defunct mill, and we have not been able to source it or a replacement since.

To create the Smart Circle shown in Figure 8, we used the shape weaving interface in our software tool to generate a draft. Starting in the initial canvas, we sketched a circle that filled the width. Then from this outline, we converted the region to a Shape, which allows us to refine the edges in a separate dialog and fill the Shape with the desired stitch or woven structure. Once this Shape established the foundation fabric, we then designed the sensing regions by creating new layers in the draft via the Shuttles menu.

Once the draft was prepared, we exported the file as a bitmap image for future use in a computerized loom. We then printed a large version to execute manually on a simple loom. This particular component was woven on a rigid heddle loom, a small, beginner-friendly loom that is also used for sampling by experienced weavers. Regardless of the type of loom we chose, the shape weaving required us to set up a continuous paired warp as previously described. This smart textile component, by incorporating the various elements of a designed-for-disassembly method, demonstrates how such a method is a combination of learned procedures, physical infrastructure, and computational design representation in a draft.

We connected the Smart Circle to a simple position-sensing circuit. While this interaction and type of voltage-dividing circuit is fundamental to many systems, the textile nature of the Smart Circle suggested new designs for us. The texture of the sensing region was hard to distinguish from the soft ground fabric, and even the visual impact of the resistive yarn was subtle. Aesthetically, we could imagine woven smart textiles with invisibly integrated electronic components that are designed for disassembly. Not only could sensing within the fabric oper-




Figure 8. a) Woven Smart Circle component in use as an analog input in a circuit. b) Diagram of potentiometer controlling an LED for reference. c) Detail shot of integrated conductive material and the piece's finished edges.

ate on hidden mechanisms, but the invisible doubled warp and other disassembly techniques would conceal the untold story of the smart textile's fabrication. Only when a hand touches and works with the object, are its secrets revealed.

The Smart Circle took about 1 hour of set up, 2 hours of weaving, and less than 15 minutes to unravel. The only waste from the fabrication and un-fabrication process was a yard of the abundantly-available cotton warp yarn which we trimmed after tightening. We recovered all of the precious resistive yarn. The time that we put into design and fabrication was not wasted—rather, we recovered the time. The yarn used in the Smart Circle will be used in the future for many more hours and prototypes.

A DESIGN FOR DISASSEMBLY PROVOCATION

Having explored designing smart textiles for disassembly along one route, we now invite other researchers to explore the space in their own ways. Through our work, we found the process of designing to benefit from both technical explorations paired with sensitizing exercises. The unraveling/sensitizing exercises were useful for grounding the design principles in existing practice and conventions above privileging a solution that was specifically "novel." Furthermore, it gave a more embodied sense of the time that is currently involved in undertaking disassembly.

A process that incorporates disassembly from the start might change our relationships with time during fabrication. Our shape weaving interface (and the entire process) forces the maker to slow down and use their time and work with the material. Disassembly functions as a challenging constraint

to consider within this process. Pairing these sensitizing and reflective practices in parallel with augmenting our software and hardware tools helped us see the tension points with existing equipment and infrastructures of textile production. While the tools we provide will necessarily limit the design space and the creative approaches, they might also provide new and unexpected aesthetics, such as unusual seeming patterns that emerged from a computationally generated sweater [7]. In this section, we discuss these themes that emerge not only in our work, but also other perspectives in sustainable HCI and computational design.

Shift from Throughput to Longevity

The efficiency of manufacturing is generally measured in terms of throughput, the quantity of material or goods produced per time. What if we defined efficiency as how long the material can last? We might aim to maximize longevity: the amount of time a material (independent of its object form) stays useful. Dew et al.'s 2019 work on crafting with waste material from makerspaces highlights how this question may not only help us reflect on waste-producing processes, but also imagine new ways to salvage materials from being "unusable" [18]. Shifting this argument from human actions to the tools complicit in these actions, we see that many design tools and fabrication machines could better support longevity in the materials we use. Could our tools and machines support continuous materials, disassembly, and reuse by default? The modification of physical mechanisms and design tools in tandem illustrates that this is a challenge to be addressed through multiple channels, including design and manufacturing.

We believe that this shift need not create more difficult processes. By designing tools to support disassembly, other values can bubble to the surface when we anticipate care and maintenance, rather than disposal, during design and fabrication. Craftspeople describe a certain joy with working with the material and repetitive, meditative motions [62, 25, 53]. Craft, especially contemporary craft which has shifted from subsistence to leisure, emphasizes joy and pleasure as a value in relation to time and labor. These craft mindsets are often compatible with "slow" and sustainable thinking [57, 58]. The more time a person gets to spend with the material, the more joy emerges during the process, and in the end, a higher-quality and longer-lasting product.

Honor the Hands that Made the Materials

Shifting the value of material production to quality time and longevity, rather than quantity and efficiency, could also re-frame notions of production environments. Efficiency suggests a machine-dominated environment. As we see in commercial textiles as well as electronics, this is also an environment where human workers are invisible. We personally had the misconception that commercial textile production was largely automated, with human operators pressing a button on a machine. However, through unravelling, we saw that even industrial textiles still involve a lot of handcraft. Although the actual knitting or weaving is mechanized, textile production involves extensive human-machine collaboration, such as individually placing stitches on a linker and adjusting tension

as the machine runs. [55] Yet the hands are always there, in industrial processes as well as craft.

As works in sustainable HCI show, humans will always need our hands to reckon with digital technology, and this manual intervention is more apparent in developing economies. For example, Jackson et al.'s Repair Worlds [35] focuses on maintenance and repair practices in Namibia's computing infrastructure, and Rifat et al.'s The Breaking Hand [65] focuses on e-waste recycling workers in Bangladesh. In more developed countries, this labor is hidden by layers of intermediary infrastructure, contributing to the environmental impact of globalization, to which Raghavan et al. proposes "disintermediation" as a sustainability countermeasure [63]. We believe that making manual work visible in the disassembly stages could further emphasize the hands that were present during assembly. What if clothes were designed for disassembly, and retailers encouraged the buyers unravel products themselves? This feature would be in line with design for disassembly principles, where disassembly is readily accessible and documented for any user [76]. Smart textiles products might include a "pull here" tag to cue the unraveller into the process, blurring the lines between user, maker, and un-maker. We would hope that the increased visibility of the hand and its owner, the worker, would also lead to recognizing the value of their labor through improved labor policies in manufacturing. As consumer-users participate in the embodied craft of unravelling their own textile goods, they could individually engage issues of sustainability and repair in accessible, ongoing ways.

Acknowledge the Histories and Futures of Materials

Another consequence of industrialized textiles' high throughput is that most yarns, fabrics, and finished textile products are cheap and abundant. While there are luxury fibers, they generally have a cheaper alternative that functions similarly (e.g. warmth, tactile feel, visual appeal). However, with smart textiles research introduces new "smart" materials such as conductive yarns, carbon nanotubes, etc. These materials are not only rare and costly to manufacture, but crucial to the textile's function. Wool and cotton were once just as labor-intensive to process, with entire communities spinning yarn from dawn to dusk to meet demand [4]. These materials are *precious*: expensive, scarce, and necessary to the design, and they need to be managed in their production and use. We could argue that with sustainability and post-growth [25], *all* materials are precious.

Continuing to recognize and work with the history of our materials may also change our perspective on novelty and progress. While in technology development, we may emphasize "invention", craft communities have a term for (re-)inventing something that was lost or forgotten: "unventing", recorded by famed knitter Elizabeth Zimmerman [82]. Many textiles craftspeople believe that there are no new ideas in techniques or tools in their practice, only new takes on old ideas. Rather than giving up on future work out of the fear that nothing is new, we can reframe this deep body of knowledge as fertile ground for new computational challenges. As Murer et al. noted in their design workshops on user interactions with deconstruction and "un-crafting", designers may glean broader

experiential values about their users and imbue their artifacts with deeper meanings if they design for disassembly as an intentional action [49, 51, 50]. If smart textiles practitioners integrate the histories and futures of their materials into their design process, they would find many opportunities to engage with communities that have historically been labelled "backwards" and to revisit supposedly-failed ideas that may simply not have received enough time.

CREATIVE POSSIBILITIES FOR HCI IN DISASSEMBLY

While the practice of unravelling and disassembling is still emerging today, we can imagine a future where unravelling and reuse is an accessible and integral part of a smart textile's lifecycle, and perhaps even in other forms of technology. The Unfabricate experiments that we undertook revealed many possible concepts which we will explore with more samples and more rigorous analysis. To inspire future work, we present three distinct, yet intertwined threads of possible development, illustrated in Figure 9.

3D Shape Weaving for Garments

Our design artifact in this paper was limited to a single flat shape, but the design allows for future integration with other shapes to produce a full garment. Craftspeople such as Jacqueline Lefferts [41] and Holly McQuillan [47] have demonstrated initial methods for approaching this challenge using a combination of computer aided design practices and weaving structures. We might also see promises in approaches developed by Tao et. al in "CompuWoven" [71], which aims at producing 3D forms through basketweaving techniques. The paired warp method developed as part of this work could extend such practices to consider quick unweaving of "fully fashioned" woven garments. A related extension of this work may also involve experimentation with linking mechanisms and other seaming techniques on shape-woven pieces. Using techniques from fully fashioned garment making will continue this work's dialogue with current textiles manufacturing processes, as well as fashion design. For example, one could weave a sock heel or shoulder piece by weaving a concave flat shape on the doubled warp. When the warps are tightened, the fabric will naturally pucker and bend into a 3D curved surface. (Figure 9, top)

Repairing and Modifying Yarn

Unravelling presents an opportunity to renew the yarn of the original garment, beyond re-knitting or re-weaving the yarn into a new item. As the unravelling process involves winding the entire length of the yarn back onto a spool for reuse, the yarn could be repaired or re-coated as needed. More interestingly, one could re-dye or paint the yarn as it travels through the spooling equipment. (Figure 9, middle) For example, instead of using an inlay yarn to weave a figure, one could paint a yarn with segments of color that would then stack to form the desired figure. While this would be redundant with fabric printing for conventional dyes, this yarn painting method would offer much greater control for special smart textiles pigments, such as thermochromic pigments [15]. Alternatively, painting the yarn with repeating color patterns would result in abstract, semi-randomized patterns emerging in the

re-knitted or re-woven fabric, termed “pooling” by handknitters [9]. Furthermore, in our software modifications, we saw that encoding more material awareness, specifically on yarn length and usage, allowed us to more precisely design shapes and figures. These modifications could be further developed so that future smart textiles CAD is not only aware of material constraints (e.g. a specific length of unravelled yarn to reuse), but could help the user work within such constraints to conserve precious materials.

Modular Unravelling

While this work was limited to completely unravelling a garment, there are design opportunities in supporting partial unravelling. Our shape weaving and supplemental warp techniques could be applied to select sections of a cloth, rather than the whole loom, to enable unravelling and replacing discrete patches or components. If a conductive component wears out, it could be removed, then repaired or replaced while leaving the base garment and the rest of the circuit intact. Partial unravelling also recalls another practice in handcraft. In (hand) knitting and weaving, the crafts person can backing up a few steps, rows, or stitches if they make a mistake or want to modify the design. This reconfigurability means that the work in progress is not completely discarded as defective, as is the practice in manufacturing. If unravelling could be reframed as a continuous, natural part of the making process, it may suggest waste reduction strategies in designing textile manufacturing processes.

Together, these three concepts present custom-fitting garments, custom-painted yarn, and modular, easy-to-repair garments. One could imagine a future where smart textiles are nearly ubiquitous in our clothing, vehicle upholstery, and interior decor. Let us continue to speculate that all of these smart textiles are also designed for disassembly and reconfiguration. Not only would this future not have to contend with large amounts of e-textile waste, but humans could have an entirely different relationship with their textiles. A person could wake up in the morning, knit and weave their clothing and devices for the day, then unravel them in the evening. Rather than a closet full of clothes, they would have reserves of conducting and non-conductive yarn ready to go.

CONCLUSION

The idea of continuous fabrication, un-fabrication, re-fabrication evokes a possible smart textiles ecosystem of reusable, reconfigurable items. In pursuit of this future, we began a design inquiry to designing smart textile for disassembly. Leveraging recent advances in computational design and textile-based fabrication, as well as existing properties of knitted and woven textiles that have existed for centuries, we were able to identify principles of disassemble-able textiles in both knitting and weaving to create interventions at design time to facilitate disassembly. We focused on weaving as the more challenging design space for disassembly. Identifying various modifications in fabric structure, physical hardware, and design software that could be made, we implemented a first proof of concept of a designed-for-disassembly smart textile lifecycle. Our work demonstrates how computational design inquiries can draw in other dialogues from materials




Figure 9. Sketches of three concepts in designing smart textiles for disassembly. (top) Using the warp tightening technique to create 3D forms from flat, concave woven shapes. (middle) Introducing processes during unravelling which alter or augment the yarn. (bottom) Unravelling and remaking part of a garment to change its function.

science, fashion, sustainable HCI, and textiles engineering. We encourage other designers, users, and makers to also explore how to disassemble and reuse their future smart textiles. The smart textiles field uniquely lies at the intersection of two massive global industries, and leveraging textiles’ physical properties and rich histories to design for disassembly could inspire a more sustainable technological sector.

ACKNOWLEDGMENTS

The authors would like to thank the Boulder Public Library and the Antiuniversity Now movement for giving us the space to host an informal unravelling workshop. We also thank Nathalia Campreguer, Mikhaila Friske, Jolie Klefeker, and Clement Zheng for giving feedback and encouragement. This work is sponsored by NSF Grant #1755587.

REFERENCES

- [1] Lea Albaugh, Scott Hudson, and Lining Yao. 2019. Digital Fabrication of Soft Actuated Objects by Machine Knitting. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA, 184:1–184:13. DOI: <http://dx.doi.org/10.1145/3290605.3300414>
- [2] Paul M. Aoki, R. J. Honicky, Alan Mainwaring, Chris Myers, Eric Paulos, Sushmita Subramanian, and Allison

- Woodruff. 2009. A Vehicle for Research: Using Street Sweepers to Explore the Landscape of Environmental Community Action. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 375–384. DOI: <http://dx.doi.org/10.1145/1518701.1518762>
- [3] Beth Bachuss. 2007. Ravelry: Thrifty Knitters. (2007). <https://www.ravelry.com/groups/thrifty-knitters>
- [4] Sandy Black. 2012. *Knitting: Fashion, Industry, Craft*. Victoria & Albert Museum, London, England, UK.
- [5] Eli Blevis. 2007. Sustainable Interaction Design: Invention & Disposal, Renewal & Reuse. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '07)*. ACM, New York, NY, USA, 503–512. DOI: <http://dx.doi.org/10.1145/1240624.1240705>
- [6] Mark Blythe. 2004. Pastiche Scenarios. *Interactions* 11, 5 (Sept. 2004), 51–53. DOI: <http://dx.doi.org/10.1145/1015530.1015554>
- [7] Beta Brand. 2010. DARPA Hoodie. (2010). <https://www.betabrand.com/gray-darpa-hoodie>
- [8] Kunigunde Cherenack and Liesbeth van Pieterse. 2012. Smart textiles: Challenges and opportunities. *Journal of Applied Physics* 112, 9 (Nov. 2012), 091301. DOI: <http://dx.doi.org/10.1063/1.4742728>
- [9] David Chudzicki. 2011. Planned/Intentional Pooling. (2011). <http://plannedpooling.com>
- [10] National Resources Defense Council. 2017. Encourage Textile Manufacturers to Reduce Pollution. (2017). <https://www.nrdc.org/issues/encourage-textile-manufacturers-reduce-pollution>
- [11] Beatriz da Costa, Cina Hazegh, and Kevin Ponto. 2008. Interspecies Coproduction in the Pursuit of Resistant Action. (2008). <http://nideffer.net/shaniweb/pigeonblog.php>
- [12] Audrey Desjardins and Aubree Ball. 2018. Revealing Tensions in Autobiographical Design in HCI. In *Proceedings of the 2018 Designing Interactive Systems Conference (DIS '18)*. ACM, New York, NY, USA, 753–764. DOI: <http://dx.doi.org/10.1145/3196709.3196781>
- [13] Audrey Desjardins and Ron Wakkary. 2016. Living In A Prototype: A Reconfigured Space. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. ACM, New York, NY, USA, 5274–5285. DOI: <http://dx.doi.org/10.1145/2858036.2858261>
- [14] Laura Devendorf, Kristina Andersen, Daniela K. Rosner, Ron Wakkary, and James Pierce. 2019. From HCI to HCI-Amusement: Strategies for Engaging What New Technology Makes Old. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA, Article Paper 35, 12 pages. DOI: <http://dx.doi.org/10.1145/3290605.3300265>
- [15] Laura Devendorf and Chad Di Lauro. 2019. Adapting Double Weaving and Yarn Plying Techniques for Smart Textiles Applications. In *Proceedings of the Thirteenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '19)*. ACM, New York, NY, USA, 77–85. DOI: <http://dx.doi.org/10.1145/3294109.3295625>
- [16] Laura Devendorf and Kimiko Ryokai. 2015. Being the Machine: Reconfiguring Agency and Control in Hybrid Fabrication. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15)*. ACM, New York, NY, USA, 2477–2486. DOI: <http://dx.doi.org/10.1145/2702123.2702547>
- [17] Kristin N. Dew and Daniela K. Rosner. 2018. Lessons from the Woodshop: Cultivating Design with Living Materials. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, Article 585, 12 pages. DOI: <http://dx.doi.org/10.1145/3173574.3174159>
- [18] Kristin N. Dew and Daniela K. Rosner. 2019. Designing with Waste: A Situated Inquiry into the Material Excess of Making. In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. ACM, New York, NY, USA, 1307–1319. DOI: <http://dx.doi.org/10.1145/3322276.3322320>
- [19] Kristin N. Dew, Samantha Shorey, and Daniela Rosner. 2018. Making Within Limits: Towards Salvage Fabrication. In *Proceedings of the 2018 Workshop on Computing Within Limits (LIMITS '18)*. ACM, New York, NY, USA, Article 7, 11 pages. DOI: <http://dx.doi.org/10.1145/3232617.3232626>
- [20] Carl DiSalvo and Tom Jenkins. 2017. Fruit Are Heavy: A Prototype Public IoT System to Support Urban Foraging. In *Proceedings of the 2017 Conference on Designing Interactive Systems (DIS '17)*. ACM, New York, NY, USA, 541–553. DOI: <http://dx.doi.org/10.1145/3064663.3064748>
- [21] Carl DiSalvo, Phoebe Sengers, and Hrönn Brynjarsdóttir. 2010. Mapping the Landscape of Sustainable HCI. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '10)*. ACM, New York, NY, USA, 1975–1984. DOI: <http://dx.doi.org/10.1145/1753326.1753625>
- [22] Paul Dourish. 2010. HCI and Environmental Sustainability: The Politics of Design and the Design of Politics. In *Proceedings of the 8th ACM Conference on Designing Interactive Systems (DIS '10)*. ACM, New York, NY, USA, 1–10. DOI: <http://dx.doi.org/10.1145/1858171.1858173>
- [23] Anthony Dunne and Fiona Raby. 2013. *Speculative Everything: Design, Fiction, and Social Dreaming*. The MIT Press, Cambridge, MA, USA.

- [24] Deb Essen. 2016. *Easy Weaving with Supplemental Warps: Overshot, Velvet, Shibori, and More*. Interweave, Fort Collins, CO, USA.
- [25] Kate Fletcher. 2016. *Craft of Use: Post-Growth Fashion*. Routledge, London, England, UK.
- [26] Kate Fletcher and Mathilda Tham. 2014. *Routledge Handbook of Sustainability and Fashion*. Routledge, London, England, UK.
- [27] World Business Council for Sustainable Development. 2019. Design for disassembly/deconstruction. In *Circular Economy Guide*. Climate-KIC, Geneva, Switzerland.
<https://www.ceguide.org/Strategies-and-examples/Design/Design-for-disassembly-deconstruction>
- [28] Ellen MacArthur Foundation. 2017. *A New Textiles Economy: Redesigning fashion's future*. Ellen MacArthur Foundation, Cowes, United Kingdom.
<https://www.ellenmacarthurfoundation.org/publications/a-new-textiles-economy-redesigning-fashions-future>
- [29] Mikhaila Friske, Shanel Wu, and Laura Devendorf. 2019. AdaCAD: Crafting Software For Smart Textiles Design. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA, 345:1–345:13. DOI: <http://dx.doi.org/10.1145/3290605.3300575>
- [30] Bill Gaver, Tony Dunne, and Elena Pacenti. 1999. Design: Cultural Probes. *interactions* 6, 1 (Jan. 1999), 21–29. DOI: <http://dx.doi.org/10.1145/291224.291235>
- [31] William Gaver. 2011. Making spaces: how design workbooks work. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '11)*. ACM, New York, NY, USA, 1551–1560. DOI: <http://dx.doi.org/10.1145/1978942.1979169>
- [32] William Gaver. 2012. What should we expect from research through design?. In *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 937–946. DOI: <http://dx.doi.org/10.1145/2208516.2208538>
- [33] Tim Ingold. 2013. *Making: Anthropology, Archaeology, Art and Architecture* (1 ed.). Routledge, London ; New York.
- [34] Steven J. Jackson and Laewoo Kang. 2014. Breakdown, Obsolescence and Reuse: HCI and the Art of Repair. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, USA, 449–458. DOI: <http://dx.doi.org/10.1145/2556288.2557332>
- [35] Steven J. Jackson, Alex Pompe, and Gabriel Krieschok. 2012. Repair Worlds: Maintenance, Repair, and ICT for Development in Rural Namibia. In *Proceedings of the ACM 2012 Conference on Computer Supported Cooperative Work (CSCW '12)*. ACM, New York, NY, USA, 107–116. DOI: <http://dx.doi.org/10.1145/2145204.2145224>
- [36] Sunyoung Kim, Eric Paulos, and Mark D. Gross. 2010. WearAir: Expressive T-shirts for Air Quality Sensing. In *Proceedings of the Fourth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '10)*. ACM, New York, NY, USA, 295–296. DOI: <http://dx.doi.org/10.1145/1709886.1709949>
- [37] David Kirsh. 2011. How marking in dance constitutes thinking with the body. *VERSUS: Quaderni di studi semiotici* 113-115 (2011), 179–210.
http://adrenaline.ucsd.edu/kirsh/Articles/Marking_In_Dance/MarkingInDance.pdf
- [38] Kniterate. 2019. Kniterate: the Digital Knitting Machine. (2019). <https://www.kniterate.com/product/kniterate-the-digital-knitting-machine/>
- [39] Robert Kovacs, Alexandra Ion, Pedro Lopes, Tim Oesterreich, Johannes Filter, Philipp Otto, Tobias Arndt, Nico Ring, Melvin Witte, Anton Synytsia, and Patrick Baudisch. 2018. TrussFormer: 3D Printing Large Kinetic Structures. In *Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology (UIST '18)*. ACM, New York, NY, USA, 113–125. DOI: <http://dx.doi.org/10.1145/3242587.3242607>
- [40] Stacey Kuznetsov, William Odom, James Pierce, and Eric Paulos. 2011. Nurturing Natural Sensors. In *Proceedings of the 13th International Conference on Ubiquitous Computing (UbiComp '11)*. ACM, New York, NY, USA, 227–236. DOI: <http://dx.doi.org/10.1145/2030112.2030144>
- [41] Jacqueline Lefferts. 2019. Mannequin Loom. (2019). <http://www.jacquelinelefferts.com/#/mannequin-loom/>
- [42] Ann Light, Irina Shklovski, and Alison Powell. 2017. Design for Existential Crisis. In *Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '17)*. ACM, New York, NY, USA, 722–734. DOI: <http://dx.doi.org/10.1145/3027063.3052760>
- [43] Pamela Liou. 2015. Doti: the Dot-Matrix Desktop Loom. (April 2015). <http://pamelaliou.com/blog/?p=418>
- [44] Jen Liu, Daragh Byrne, and Laura Devendorf. 2018. Design for Collaborative Survival: An Inquiry into Human-Fungi Relationships. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. Association for Computing Machinery, New York, NY, USA, Article Paper 40, 13 pages. DOI: <http://dx.doi.org/10.1145/3173574.3173614>
- [45] Leah Maestri and Ron Wakkary. 2011. Understanding Repair As a Creative Process of Everyday Design. In *Proceedings of the 8th ACM Conference on Creativity and Cognition (C&C '11)*. ACM, New York, NY, USA, 81–90. DOI: <http://dx.doi.org/10.1145/2069618.2069633>

- [46] James McCann, Lea Albaugh, Vidya Narayanan, April Grow, Wojciech Matusik, Jennifer Mankoff, and Jessica Hodgins. 2016. A Compiler for 3D Machine Knitting. *ACM Trans. Graph.* 35, 4, Article 49 (July 2016), 11 pages. DOI: <http://dx.doi.org/10.1145/2897824.2925940>
- [47] Holly McQuillan. 2019. Hybrid zero waste design practices.: Zero waste pattern for composite garment weaving and its implications. In *Running with Scissors, 13th EAD Conference, Dundee, 10-12 April, 2019*. European Academy of Design, Dundee, Scotland, UK, 1–17. <http://hb.diva-portal.org/smash/record.jsf?pid=diva2%3A1316581>
- [48] Jussi Mikkonen and Emmi Pouta. 2015. Weaving Electronic Circuit into Two-layer Fabric. In *Adjunct Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2015 ACM International Symposium on Wearable Computers (UbiComp/ISWC'15 Adjunct)*. ACM, New York, NY, USA, 245–248. DOI: <http://dx.doi.org/10.1145/2800835.2800936>
- [49] Martin Murer. 2018. Making Things Apart: Gaining Material Understanding. In *Proceedings of the 2018 Designing Interactive Systems Conference (DIS '18)*. ACM, New York, NY, USA, 497–509. DOI: <http://dx.doi.org/10.1145/3196709.3196806>
- [50] Martin Murer, Verena Fuchsberger, and Manfred Tscheligi. 2015. Deconstructivist Interaction Design: Interrogating Expression and Form. *Aarhus Series on Human Centered Computing* 1, 1 (Oct. 2015), 4. DOI: <http://dx.doi.org/10.7146/aahcc.v1i1.21313>
- [51] Martin Murer, Verena Fuchsberger, and Manfred Tscheligi. 2017. Un-Crafting: De-Constructive Engagements with Interactive Artifacts. In *Proceedings of the Eleventh International Conference on Tangible, Embedded, and Embodied Interaction (TEI '17)*. ACM, New York, NY, USA, 67–77. DOI: <http://dx.doi.org/10.1145/3024969.3024993>
- [52] Carman Neustaedter and Phoebe Sengers. 2012. Autobiographical Design in HCI Research: Designing and Learning Through Use-it-yourself. In *Proceedings of the Designing Interactive Systems Conference (DIS '12)*. ACM, New York, NY, USA, 514–523. DOI: <http://dx.doi.org/10.1145/2317956.2318034>
- [53] Michael Nitsche and Anna Weisling. 2019. When Is It Not Craft?: Materiality and Mediation when Craft and Computing Meet. In *Proceedings of the Thirteenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '19)*. ACM, New York, NY, USA, 683–689. DOI: <http://dx.doi.org/10.1145/3294109.3295651>
- [54] Digital Weaving Norway. 2019. TC2 Digital Jacquard Loom. (2019). <http://www.digitalweaving.no/>
- [55] NIIR Board of Consultants & Engineers. 2017. *The Complete Technology Book on Textile Spinning, Weaving, Finishing and Printing (3rd Revised Edition)*. ASIA PACIFIC BUSINESS PRESS Inc., Kamla Nagar, Delhi, India.
- [56] Maggie Orth, Rehmi Post, and Emily Cooper. 1998. Fabric Computing Interfaces. In *CHI 98 Conference Summary on Human Factors in Computing Systems (CHI '98)*. ACM, New York, NY, USA, 331–332. DOI: <http://dx.doi.org/10.1145/286498.286800>
- [57] Yue Pan and Eli Blevis. 2014. Fashion Thinking: Lessons from Fashion and Sustainable Interaction Design, Concepts and Issues. In *Proceedings of the 2014 Conference on Designing Interactive Systems (DIS '14)*. ACM, New York, NY, USA, 1005–1014. DOI: <http://dx.doi.org/10.1145/2598510.2598586>
- [58] Hayley Phelan. 2017. What Is Slow Fashion? We Explain. (Oct. 2017). <https://www.nytimes.com/2017/10/11/fashion/what-is-slow-fashion.html>
- [59] Anna Piper and Katherine Townsend. 2015. Crafting the Composite Garment: The role of hand weaving in digital creation. *Journal of Textile Design Research and Practice* 3, 1-2 (July 2015), 3–26. DOI: <http://dx.doi.org/10.1080/20511787.2015.1127037>
- [60] Ivan Poupyrev. 2019. Keynotes – CHI 2019. (2019). <https://chi2019.acm.org/for-attendees/keynotes/>
- [61] Ivan Poupyrev, Nan-Wei Gong, Shiho Fukuhara, Mustafa Emre Karagozler, Carsten Schwesig, and Karen E. Robinson. 2016. Project Jacquard: Interactive Digital Textiles at Scale. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. ACM, New York, NY, USA, 4216–4227. DOI: <http://dx.doi.org/10.1145/2858036.2858176>
- [62] David Pye. 2007. *The Nature and Art of Workmanship*. A&C Black, London.
- [63] Barath Raghavan and Daniel Pargman. 2017. Means and Ends in Human-Computer Interaction: Sustainability Through Disintermediation. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. ACM, New York, NY, USA, 786–796. DOI: <http://dx.doi.org/10.1145/3025453.3025542>
- [64] Transparency Market Research. 2019. Global Smart Fabrics Market is projected to rise at a colossal CAGR of 19.6% during 2017-2022. (Jan. 2019). <http://www.globenewswire.com/news-release/2019/01/09/1682672/0/en/Global-Smart-Fabrics-Market-is-projected-to-rise-at-a-colossal-CAGR-of-19-6-during-2017-2022-TMR.html>
- [65] Mohammad Rashidujjaman Rifat, Hasan Mahmud Prottoy, and Syed Ishtiaque Ahmed. 2019. The Breaking Hand: Skills, Care, and Sufferings of the Hands of an Electronic Waste Worker in Bangladesh. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. Association for Computing Machinery, New York, NY, USA, Article Paper 23, 14 pages. DOI: <http://dx.doi.org/10.1145/3290605.3300253>

- [66] Daniela K. Rosner and Kimiko Ryokai. 2008. Spyn: Augmenting Knitting to Support Storytelling and Reflection. In *Proceedings of the 10th International Conference on Ubiquitous Computing (UbiComp '08)*. ACM, New York, NY, USA, 340–349. DOI: <http://dx.doi.org/10.1145/1409635.1409682>
- [67] Phoebe Sengers, Kirsten Boehner, Shay David, and Joseph 'Jofish' Kaye. 2005. Reflective Design. In *Proceedings of the 4th Decennial Conference on Critical Computing: Between Sense and Sensibility (CC '05)*. ACM, New York, NY, USA, 49–58. DOI: <http://dx.doi.org/10.1145/1094562.1094569>
- [68] Stephen Sheard. 1989. *THE ROWAN/BROTHER DESIGNER MACHINE KNITTING BOOK* (1st ed.). EBURY PRESS, London.
- [69] Rachel Charlotte Smith, Kasper Tang Vangkilde, Mette Gislev Kjaersgaard, Ton Otto, Joachim Halse, and Thomas Binder (Eds.). 2016. *Design Anthropological Futures* (reprint ed.). Bloomsbury Academic, London ; New York.
- [70] WEAR Sustain. 2019. WEAR Sustain. (2019). <https://wearsustain.eu/>
- [71] Ye Tao, Nannan Lu, Caowei Zhang, Guanyun Wang, Cheng Yao, and Fangtian Ying. 2016. CompuWoven: A Computer-Aided Fabrication Approach to Hand-Woven Craft. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '16)*. ACM, New York, NY, USA, 2328–2333. DOI: <http://dx.doi.org/10.1145/2851581.2892293>
- [72] Vasiliki Tsaknaki, Marisa Cohn, Laurens Boer, Ylva Fernaeus, and Anna Vallgård. 2016. Things Fall Apart: Unpacking the Temporalities of Impermanence for HCI. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction (NordiCHI '16)*. ACM, New York, NY, USA, Article 141, 3 pages. DOI: <http://dx.doi.org/10.1145/2971485.2987680>
- [73] Ron Wakkary, Audrey Desjardins, Sabrina Hauser, and Leah Maestri. 2013. A Sustainable Design Fiction: Green Practices. *ACM Trans. Comput.-Hum. Interact.* 20, 4, Article 23 (Sept. 2013), 34 pages. DOI: <http://dx.doi.org/10.1145/2494265>
- [74] Ron Wakkary and Karen Tanenbaum. 2009. A Sustainable Identity: The Creativity of an Everyday Designer. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 365–374. DOI: <http://dx.doi.org/10.1145/1518701.1518761>
- [75] Melinda Watt. 2011. Renaissance Velvet Textiles. In *Heilbrunn Timeline of Art History*. The Metropolitan Museum of Art, New York, NY, USA. https://www.metmuseum.org/toah/hd/velv/hd_velv.htm
- [76] Colin Webster. 2013. The Art Of Design For Disassembly. In *Engineering the Circular Economy*. Ellen MacArthur Foundation, Cowes, United Kingdom, Chapter 1, 1–5. <https://www.ellenmacarthurfoundation.org/news/engineering-the-circular-economy>
- [77] Linda Worbin. 2010. *Designing dynamic textile patterns*. Ph.D. Dissertation. Chalmers University of Technology. https://www.researchgate.net/publication/277200413_Designing_dynamic_textile_patterns
- [78] WOVNS. 2019. WOVNS. (2019). <https://www.wovns.com/>
- [79] Susan Wyche, Tawanna R. Dillahunt, Nightingale Simiyu, and Sharon Alaka. 2015. "If God Gives Me the Chance I Will Design My Own Phone": Exploring Mobile Phone Repair and Postcolonial Approaches to Design in Rural Kenya. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '15)*. ACM, New York, NY, USA, 463–473. DOI: <http://dx.doi.org/10.1145/2750858.2804249>
- [80] Reunion Yarn. 2019. Unraveling Club: Get yarn from sweaters! (2019). <https://www.unraveling.club/>
- [81] Xiao Zhang and Ron Wakkary. 2011. Design Analysis: Understanding e-Waste Recycling by Generation Y. In *Proceedings of the 2011 Conference on Designing Pleasurable Products and Interfaces (DPPI '11)*. ACM, New York, NY, USA, Article 6, 8 pages. DOI: <http://dx.doi.org/10.1145/2347504.2347511>
- [82] Elizabeth Zimmermann. 2012. *Elizabeth Zimmermann's Knitter's Almanac: The Commemorative Edition*. Courier Corporation, North Chelmsford, MA, USA.
- [83] C. Zysset, K. Cherenack, T. Kinkeldei, and G. Tröster. 2010. Weaving integrated circuits into textiles. In *International Symposium on Wearable Computers (ISWC) 2010*. IEEE, Seoul, South Korea, 1–8. DOI: <http://dx.doi.org/10.1109/ISWC.2010.5665874>